



**COMFORTABLE
CONCRETE**

Milliken

D/LUX | LUXURY DEMATERIALIZED



COMFORTABLE CONCRETE

Embrace the raw, urban vibe of the concrete jungle. The look of the Comfortable Concrete Collection is made possible by our proprietary PrintWorks™ technology. Choose neutrals from light to dark. Add pops of color — from mossy greens to watery blues. Arrange tiles to define spaces and wayfinding. Comfortable Concrete offers the flexibility to create energetic spaces with a cohesive look throughout — a solid foundation for your interior design.



*Scan to Explore the
Collection Story*

THE D/LUX SERIES

LUXURY DEMATERIALIZED

Comfortable Concrete is part of the new D/LUX series of carpets. Our innovative design process uses less raw material to deliver the same texture and aesthetics, while reducing embodied carbon. In fact, all of our carpet, LVT and entryway tiles are carbon neutral everywhere in the world. We invite you to learn more about our M/PACT™ carbon neutral program and how you can specify carbon neutral products for your design projects. Together, we can make a positive M/PACT™ on the world for future generations.




Innovative Use Of Yarn System
And Tufting Technology



Uses Less Raw Material;
Reduces Embodied Carbon



Acoustic Technology
Reduces In-Room Noise



Rated For Severe
Traffic Areas



Scan to
Learn More





URBAN SKETCH

Begin with eight neutrals in a range from light to dark.
Go from bold and strong to calm and understated.



IRON GREY URS180-118



SANDY BONE URS265-138



OYSTER SHELL URS180-153



FADED ANCHOR URS265-106




SOOT ASH URS27-174



FLINT GREY URS118-138



BLACKENED MULCH URS27-173



PITCH BLACK URS119-106




URBAN PORTRAIT

Choose from four rich colors to add depth and interest. Create moods and coordinate with other elements of your design.



COOL FLAME
URP12-118



CHARTREU FLINT
URP133-141-05



MOLTEN PLUM
URP104-38



STEELE SKYE
URP19-52





URBAN VISTA

Go softer with four distinct pastels. Lighten spaces while keeping an urban edge. Let your design flow.



PARCHED SAND
URV05-219-180



FIRE OPAL
URV05-221-180



PARKWAY GREEN
URV240-106



ARCTIC BLUE
URV159-154

THE CONCEPT OF SIDEWALKS AND PATIOS, PATHWAYS AND PLACEMAKING



Urban Sketch in Sandy Bone and Urban Vista in Parkway Green.

Comfortable Concrete is versatile. The variations in pattern and color make it easy to define spaces within spaces as well as to guide people through your interiors with hard lines or gradual transitions.





PRINTWORKS™

Our patented PrintWorks™ technology uses fluid dyes to achieve effects and colors that are just not possible through pre-colored yarn. We can print 120 million computer-guided placements per second. With an edge-to-edge dye process that's precise within a fraction of an inch, the Comfortable Concrete Collection offers unlimited possibilities.

Scan to Watch
the Video





COMFORTABLE CONCRETE

Urban Sketch / Urban Portrait / Urban Vista

Construction

Tufted, Textured Loop

Tile Size

50 cm x 50 cm (19.7" x 19.7")

Yarn Type

Milliken-Certified WearOn® Nylon

Stain Resist / Soil Release

StainSmart®

Dye Method

PrintWorks™ Precision Dyeing

Gauge

1/10

Stitches Per Inch

14.4

Tufts

144/in² (2,230/100 cm²)

Standard Backing

PVC-Free WellBAC® Comfort Cushion Available with TractionBack®

Recycled Content by Total Weight

Standard Backing: 41% Pre-Consumer, 0.0% Post-Consumer; NSF 140 Platinum Backing Options: 30.0% Pre-Consumer, 11.0% Post-Consumer

Embodied Carbon

13.39 (kg CO₂e)/m²

Nominal Total Thickness

0.31" (7.9 mm)

Nominal Total Weight

86.7 oz/yd² (2,940 g/m²)

Flammability (Radiant Panel ASTM E-648)

≥ 0.45 (Class I)

Smoke Density (NFPA-258-T or ASTM-E-662)
≤ 450

Methenamine Pill Test (CPSC FF-1-70 or ASTM D 2859)
Self-Extinguishing

Lightfastness (AATCC 16E)
≥ 4.0 at 80 Hours

Crocking (AATCC 165)
≥ 4.0 Wet or Dry

Static Electricity (AATCC-134) 20% R.H., 70° F.
≤ 3.5 KV, Permanent Conductive Fiber

Texture Appearance Retention Rating (TARR)
Severe Traffic End-Use Applications

Recommended Maintenance
MilliCare® Textile and Carpet Care Service Network

Indoor Air Quality—CRI Green Label Plus™
GLP0793, Carpet Category 5Y

Recommended Installation Methods
Ashlar, Monolithic



ASHLAR MONOLITHIC

SUSTAINABLE FEATURES

Comfortable Concrete is manufactured with WellBAC® Comfort cushion backing, and is certified NSF-140 Gold with 41% pre-consumer recycled content by total product weight. **Comfortable Concrete** is also available with our NSF-140 Platinum backing option. All Milliken modular carpets carry Environmental Product Declarations and Health Product Declarations, which contribute to LEED certification. Additionally, Milliken modular carpets carry Declare® transparency labels and comply with the Red List Imperative of the Living Building Challenge.™



Declare.

Images in this brochure are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.

SHOWN ON THE COVER

(Front) Urban Sketch in Blackened Mulch and Urban Portrait in Cool Flame. (Back) Urban Vista in Parched Sand.

Milliken™